



First Lithium Minerals Corp.

LITHIUM AND CRITICAL METALS EXPLORATION AND DEVELOPMENT COMPANY

CSE:FLM | OTC:FLMCF | FSE:X28

Q2 2026

Disclaimer

Cautionary Statements

Information set forth in this presentation contains forward-looking statements that are based on assumptions as of the date of this presentation. These statements reflect management's current estimates, beliefs, intentions and expectations. They are not guarantees of future performance. Words such as "expects", "anticipates", "targets", "goals", "projects", "intends", "plans", "believes", "seeks", "estimates", "continues", "may", variations of such words, and similar expressions and references to future periods, are intended to identify such forward-looking statements. First Lithium Minerals Corp. ("First Lithium" or the "Company") cautions that all forward-looking statements are inherently uncertain, and that actual performance may be affected by a number of material factors, many of which are beyond First Lithium's control. Such factors include, among other things: risks and uncertainties relating to metal prices, changes in planned work resulting from weather, logistical, technical or other factors, the possibility that results of work will not fulfill expectations and realize the perceived potential of First Lithium's mineral properties, uncertainties involved in the interpretation of drilling results and other tests, the possibility that required permits may not be obtained in a timely manner or at all, risk of accidents, equipment breakdowns or other unanticipated difficulties or interruptions, the possibility of cost overruns or unanticipated expenses in work programs, the risk of environmental contamination or damage resulting from the exploration operations, the need to comply with environmental and governmental regulations and the lack of availability of necessary capital, which may not be available to First Lithium on terms acceptable to it, or at all. First Lithium is subject to the specific risks inherent in the mining business as well as general economic and business conditions. Accordingly, actual and future events, conditions and results may differ materially from the estimates, beliefs, intentions and expectations expressed or implied in the forward-looking information. Except as required under applicable securities legislation, First Lithium undertakes no obligation to publicly update or revise forward-looking information. First Lithium does not intend, and does not assume any obligation, to update these forward-looking statements, except as required under applicable securities legislation.

The Corporate Presentation contains information which was accurate at the time of posting but may be superseded by subsequent disclosures.

For more information on First Lithium, readers should refer to First Lithium's website at www.firstlithium.ca.

Historical Results – This presentation contains historical exploration results. The Company has not verified historical results, unless stated otherwise, and there is a risk that any future confirmation work and exploration may produce results that substantially differ from the historical results. The Company considers these historical results relevant to assess the mineralization and economic potential of the properties.

Qualified Person

The content of this presentation has been reviewed and approved by Aldo Moreno Salinas, the Qualified Person, as defined by National Instrument 43-101. Mr. Moreno is a Public Registered Person for Reserves and Resources N° 328 in Chile and is also registered in the Colegio de Geólogos de Chile under N° 437.

First Lithium Minerals Corp. (CSE: FLM | OTC: FLMCF | FSE: X28) is a Canadian lithium and critical metals exploration and development company with the brine project in northern Chile and gold project in northwestern Ontario, Canada

LITHIUM ((CHILE))

Salar de Ascotan Project: 1,800 ha of exploration concessions, 100% ownership, no royalties. Hydrogeologic setting of the Andean plateau (“lithium triangle”)

Excellent infrastructure:

- Powerlines, geothermal powerplant - 70km
- Major continental railroad (The Ferrocarril de Antofagasta a Bolivia) and highway - onsite
- Major export seaport Tocopilla - 350km
- City of Calama, major copper mines in the area- 150km

Successful completion of property-wide TEM geophysical surveys 47 line-km. Geophysical anomalies and highly conductive zones up to 400m from Magneto Telluric (MT) geophysical survey

Environmental Approval from Environmental Evaluation Service of Chile (SEA) and signed Cooperation Agreement with The Cebollar-Ascotan Indigenous Community

Advancing to inaugural exploration and resource definition drilling program in 2026

GOLD (ONTARIO)

Lidstone gold project in northwestern Ontario, Canada.

- Gold mineralization potential, quartz vein assayed 0.272 g/t Au (Mar 2025)
- Gold discovery outcrop sample 2.34 g/t AU (Feb 2026)
- Established geological gold province
- 12,000 ha mining claims, 100% ownership, no royalties
- Airborne mag and geological mapping (est. 2026)



Corporate Profile

CSE: FLM

Shares outstanding 96.4 million

Share price \$0.125

Market cap. (May. 1, 2026) \$12.1MM


Cash (Q4/25) \$0.93 MM

No Debt

No warrants

Options 4,350,000 @ \$0.08 expiry Dec. 20, 2028

Shareholder Ownership



Rob Saltsman | President, CEO and Director

Mr. Saltsman has 25 years of experience in venture capital and public investments and is the Founder of First Lithium Minerals Corp., a company he founded in 2017. He served as the CEO of Compel Capital Inc. and RMM Ventures Inc., and as Vice President of Georgian Capital Corp. where he focused on investing and consulting services in private equity. He is currently a President and Managing Partner of Paige Capital Inc., a venture capital investment company, and is a founding partner of South America Finance Corp SAS, a private merchant banking group in Colombia.

Claude Ayache | CFO

Mr. Ayache is a bilingual CPA, CMA with over 35 years of experience, more than half of which was served at the CFO/CEO level of publicly reporting companies in Canada and the US. He has also served on the board of several private companies and non-profit organizations.

Aldo Moreno | VP Exploration

Mr. Moreno is a seasoned geologist with 40 years of experience in exploration and evaluation of metallic and non-metallic mineral deposits and worked with several mining projects in Chile, Argentina, Bolivia, Peru, Ecuador, Brazil, Colombia, Venezuela, Cuba, Honduras, Mexico, and the United States. Mr. Moreno has a degree in geology from Universidad de Chile, is a member of the Chilean Professional Association of Geologists No. 437 and registered in the Public Records of Competent Persons No. 328.

Peter Espig | Director

Mr. Espig has been the President and CEO of Nicola Mining Inc. since 2013. The former Goldman Sachs banker and Olympus Capital Partners executive founded TriAsia Capital, a private equity and consulting firm focused on raising capital for mid-sized companies and pre-initial public offering investment in 2006. Mr. Espig is a founding director of Promontory Therapeutics, a private biopharmaceutical company, and has been a board member since November 2010. He is an independent director of Element 29 (TSX.V: ECU) and is an independent director of NAVCO Pharmaceuticals Inc. (formerly, BMGB Capital Corp.) (TSXV). Mr. Espig is a pioneer of SPACs, having completed two mega transactions with a combined value of greater than US\$1.0 BN and served as a board member of Star Bulk Carriers (NASDAQ: SBLK) from 2006 to 2013. Mr. Espig received his MBA from Colombia Business School, where he was a Chazen International Scholar.

Ernest Mast | Director

Ernest (Ernie) Mast is currently the President and CEO of PPX Mining Corp., He has previously been President and Managing Director of Cygnus Metals, and President and CEO of Doré Copper Mining Corp., Primero Mining Corp. and Minera Panama S.A., Inmet Mining's subsidiary that advanced the giant Cobre Panama project through critical early-stage milestones. Mr. Mast has over 30 years' experience in the copper, precious metals, nickel, and lithium industries. Mr. Mast worked and lived in Chile's Atacama region for seven years while working for Noranda as the Technical Director for Noranda Chile where amongst other projects, he led the first industrial natural gas installation in northern Chile. Mr. Mast is a graduate of McGill University, with a bachelor's and master's degree in metallurgical engineering. Mr. Mast also has Executive MBAs from Henley Management School (U.K.) and Universidad Catolica de Chile.

Management and Board

Lithium Price

Continued recovery in lithium prices

Spot LCE prices recovered to USD \$25/kg in Q1/26, which made brine producers cash flow positive with a healthy operating margin

Lithium battery storage systems started to account for more than 20% of the total demand


Strong EV and battery storage systems sales growth expected in 2026




Lithium Demand

Lithium demand is expected to continue be driven by EV, consumer electronics, grid, and mobility

LITHIUM CHEMICAL DEMAND (2026) ~1.5 MILLION MT LCE



LITHIUM CHEMICAL DEMAND (2030E) ~2,800 KMT



Lithium Supply


Global lithium production is expected to reach ~ 1.6 million tpy LCE in 2026

Inelastic nature of supply

Long time to bring new capacity online

Widening supply-demand gap by 2030


Share of lithium minerals and brine production LCE tpy (%)





Salar de Ascotan Project

Project Location and Infrastructure




- The mineral exploration concessions that form the OCA Salar de Ascotan Project located in the Salar de Ascotan, within the hydrogeologic settings of the Andean plateau bordering Bolivia
- One of the six salars approved by the Minister Council of the Lithium and Salars Committee for priority development
- The OCA Salar de Ascotan Project is accessed from the town of Calama, Chile via Highway 21, 150 km
- The town of Ollague is at an elevation of 3,700 meters above sea level and is the closest to the OCA Salar de Ascotan Project
- The railway (The Ferrocarril de Antofagasta a Bolivia, "FCAB") that passes through Ollague forms the major transportation corridor between the port city of Antofagasta, Chile and the capital city of Bolivia, La Paz
- Historically, primary traffic on the railway has been minerals such as lead-zinc concentrates, nitrates, and copper
- Cerro Pabellon Geothermal Power Plant located approximately 70km south of the project
- Multiple operating copper mines in the area

Topography of the Salar de Ascotan

The salar basin is bordered on the north by the Salar de Carcote basin, on the east by volcanic chains bordering Bolivia

To the south, the basin is bordered by the San Pedro de Inacaliri River basin, while to the west the basin is cut-off by a volcanic chain summits from the drainage of the Upper Loa River



Salar de Ascotan Exploration Target

~1,800 ha of exploration concessions that form the project focus area (eastern sector) for on-going exploration and potential resource delineation target

The eastern flank is at the continental divide formed by the Andes: the Paruma de Portezuelo mountain (5,582 meters above sea level), the Ollagüe volcano (5,868 meters asl), the Ascotán mountain (5,187 meters asl) and the Toconce mountain (5,411 meters asl)

Climate is arid, with average annual precipitation < 100 mm


Little to no biodiversity in the targeted exploration sector

Project altitude 3,716 msnm

Desert environment

Soft and hard saline crusts and clay playas

Existing commercial production of borates (Quiborax) on the western flank of the salar



Source: 43-101 Technical Reports on The OCA Prospect, Comuna De Ollague, Province of El Loa, Region of Antofagasta Chile (Nov 2019), Company Reports

Mineralization

Mineralization in the Salar de Ascotan Project is primarily represented by three different fractions:

- ❑ Liquid, represented mainly by chloride and sulfate brines
- ❑ Dendritic material, consisting of sand, silt and clay intercalated in the salar sediments
- ❑ Various precipitated salt compounds resulting from salts reaching respective solubility and concentration limits



Hydrogeology

Salar de Ascotan corresponds to a classic continental 'saline deposit' type or the Salar

Lithium (Li), potash (K), boron (B), sodium (Na) and magnesium (Mg), among others, are leached and transported from rocks in the catchment, and then accumulated and concentrated by evaporation in the Salars

Geology and hydrogeology extensively studied and investigated by SQM, Codelco and Chilean Geological Surveying

➤ Salar de Ascotan: 1,757 km² (basin area), 243 km² (surface area)

The Salar is a terminal lake with sediments intermixed with salt compounds, undersurface brine, and a surface crust composed primarily of gypsum and halite

Groundwater of the Salar show characteristics of a typical brine observable a few meters below the surface



Exploration Program

TEM and MT Geophysics


Completed extensive property-wide Transient Electromagnetic (TEM) geophysical surveys (December 2022)

TEM contiguously spaced stations along 28 profiles for a total of 47.8 line-km

Highly conductive zones across concessions up to 400m at less than 1.0 Ohm-m beneath the surface at 100-200m


Defined target area with resistivity less than 0.2 Ohm-m at the Salar de Ascotan (approx. 1,775 ha)

Magneto-Telluric (MT) surveying identified pronounced geophysical anomalies and high conductivity up to 400m zones typically indicative of brine mineralization (March 2023)



Salar de Ascotan Surface Brine and Brackish Water Sample Locations

- Highs of 78 Li mg/l at surface brine and brackish water samples validate Salar de Ascotan as a strong exploration target and potential future resource
- Salar de Ascotan mineralization is expected to exhibit typical hydrogeological conditions of the salars in northern Chile where deeper brine enrichment is encountered at depth



BRINE SAMPLES MAP

Surface Brine and Brackish Water Sampling Program

15 brine and brackish water samples collected directly off the surface in the salar at depths of up to 0.3 meter and in the alluvium surrounding the salar surface

Assays of the complete sample set range from trace to 78 Li (mg/l), with the average of 42.6 Li (mg/l) and median of 57.3 Li (mg/l)

Number Sample	Coordinates UTM		Element						
	East (m)	North (m)	B (mg/l)	Ca (mg/l)	Li (mg/l)	K (mg/l)	Na (mg/l)	Mg (mg/l)	
AST-1	575,042	7,629,681	169.3	1,901.9	63.5	1,445.0	15,148.6	999.7	
AST-2	575,765	7,629,933	166.9	1,926.5	61.4	1,454.5	14,222.4	1,007.8	
AST-3	572,797	7,627,938	162.4	1,908.8	59.2	1,440.2	15,047.0	1,001.3	
AST-4	572,609	7,627,646	148.5	1,788.1	54.9	1,355.9	12,865.6	964.3	
AST-5	570,767	7,616,586	155.2	1,975.7	57.3	1,482.1	15,818.2	1,022.7	
AST-6	570,693	7,615,647	170.3	2,153.1	60.8	1,597.4	18,454.4	1,099.3	
AST-7	575,087	7,606,651	158.8	2,014.9	56.1	1,503.3	15,418.0	1,036.0	
AST-8	575,278	7,605,089	171.2	2,033.4	59.8	1,532.2	14,884.9	1,043.6	
AST-9	573,064	7,620,083	225.8	2,465.9	78.0	1,832.6	17,668.6	1,237.8	
AST-10	572,392	7,620,570	187.4	1,989.6	65.6	1,510.4	16,353.8	1,017.7	
AST-11	584,941	7,600,005	143.4	86.5	4.8	102.5	2,488.2	31.1	
AST-12	581,340	7,626,179	146.9	108.8	4.9	112.2	2,624.5	34.3	
AST-13	581,416	7,621,226	125.0	83.8	4.2	93.4	2,197.9	28.0	
AST-14	583,239	7,623,593	134.4	89.5	4.5	101.8	2,380.7	29.8	
AST-15	582,382	7,630,840	107.4	56.4	3.6	79.1	1,862.7	22.7	
			Average	158.2	1,372.2	42.6	1,042.8	11,162.4	705.1
			Median	158.8	1,908.8	57.3	1,445.0	14,884.9	1,001.3

Surface brine and brackish water samples. OCA Salar de Ascotan Project, August 2023



Near Surface Sediment Geochemistry

A semi-systematic near surface sediment sampling program was completed over identified geophysical and drill targets at the Ascotan Project (April 2025)

50 samples were taken using portable auger drill at a depth between 0.5-1.5 meters with an average depth of 0.8 meters

Li values up to 245 ppm

B values up to 2,420 ppm



Environmental Approval and Cooperation Agreement with The Cebollar-Ascotan Indigenous Community

- ❑ Favorable official response from the Environmental Evaluation Service of Chile “*Servicio de Evaluación Ambiental (SEA)*” to the OCA Salar de Ascotan Project “*Consulta de Pertinencia de Ingreso al SEIA del Proyecto de Sondajes OCA*”
- ❑ Signed Cooperation Agreement that formalizes the Company's relationship with The Cebollar-Ascotan Indigenous Community “*Comunidad Indígena Cebollar-Ascotán*” at the Salar de Ascotan
- ❑ Formation of a long-term mutually beneficial partnership for the Community to benefit from the participation in the employment opportunities and social infrastructure improvements
- ❑ Full focus on a social license to operate and contribution to environmental sustainability and socio-economic health of the Community





Salar de Ascotan Project exploration program

- ❑ Property-wide TEM geophysical surveys 47 line-km – completed Q4/22
- ❑ Magneto-Telluric (MT) geophysics - completed Q1/23
- ❑ Drill target definition – completed Q2/23
- ❑ Surface brine geochemical sampling program – completed Q3/23
- ❑ Environmental Approval – completed Q1/24
- ❑ Community engagement and social licensing – completed Q1/24
- ❑ Sediment geochemical program in drill target sectors – completed Q1/25
- ❑ Hydrogeological model - ongoing
- ❑ Drilling contractor selection and drilling program logistics - ongoing
- ❑ Exploration drilling to test brine units' depth, controls and continuity of geochemical composition – est. H2/26
- ❑ Porosity and permeability analysis – est. H2/26



Lidstone Gold Project

New Gold Discovery in Established Geological Province

Northwestern Ontario

Lidstone

Gold project

Located ~240km northwest of Geraldton, ON

Within the Uchi Domain of the Superior geological province

Network of logging roads allows the property access from the west via a truck and from the east via a truck and on foot (approx. 1.5km)


12,000 ha of mining claims, 100% owned, no royalties

Completed 2 field exploration geochemical programs

Quartz vein assays returned 2.34g/t Au (Feb 3, 2026) and 0.272 g/t Au (Mar. 2025)

Easy access due to extensive network of logging roads

Exploration to follow up on gold mineralization prospectivity in the 2026 field season




Prospect Geology

Lidstone is located within the greenstone and plutonic complexes of the Uchi Domain on the boarder with metasedimentary English River subprovince

Lithologies consist of metasedimentary units, migmatized supracrustal rocks, mafic to intermediate greenstone belt of basaltic/andesitic flows, tuffs and breccias

Massive to foliated late stage tonalite - granodiorite - monzodiorite suites occur on the northern sections



Geophysics


The prospect area consists of coincident magnetic abrupt highs and lows and zones of high electromagnetic (EM) conductance

Multiple areas of interest suggests historical work overlooked a significant exploration opportunity in the prospect area


The area shows shear strike that extends north-west through the central part of the prospect with the magnetic high defining the mafic and tonalite units which show high potential magnetic / iron signatures that can be part of a catalyst for Ni-Cu-PGE deposition

Magnetic data in combination with lithology from historical drilling demonstrates potential scale and prospectivity for a near surface mineralization


Ontario High Resolution Aeromagnetic Residual Magnetic Intensity



6/20/2024, 1:09:34 PM



- Lidstone Project area



Ontario Geological Survey, 2017, Ontario Airborne Geophysical Surveys, Magnetic Data, Grid Data (ASCII and Geosoft Formats), Magnetic

Ontario Geological Survey
©King's Printer for Ontario

Gold Discovery


In the 2024 field exploration on the project showed potential for gold mineralization with a sample from a quartz vein returning 0.272 g/t Au

The surrounding geology was further investigated for potential economic gold mineralization in the fall of 2025

The 2025 sampling campaign was conducted over ten days in November 2025. A total of 229 samples were collected, representing 102 quartz veins, 112 metavolcanic-metasedimentary rocks, 7 granitic rocks, and 8 mafic-ultramafic intrusive rocks

Extensive sampling was carried out along the margins of an interpreted granite-greenstone belt contact which is strongly delineated in the regional magnetic survey

Out of 225 samples twelve samples assayed returned anomalous gold between 0.01-0.05 g/t Au and one sample (F570631) returned 2.34 g/t Au



Lidstone Exploration Program

Exploration 2026 field season

- Geologic mapping
- Geochemical survey
- Geophysical survey
- Magnetic survey
- Drill target definition



Sample F570631 which returned 2.34 g/t Au from outcrop

Contact us

Rob Saltsman, CEO and President

First Lithium Minerals Corp.
40 King Street West, Suite 2400
Toronto, Ontario
M5H 3Y2
Canada
www.firstlithium.ca

Tel: +1 416 402 2428
Email: rob@firstlithium.ca



First Lithium

